

## Series 280 Tneme-Glaze

### PRODUCT INFO

#### Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings\*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

\*Note: Sections shown are based on LEED v4.1

#### VOC Content

<b>Air District Regulation</b>	South Coast Air Quality Management District (SCAQMD) Rule 1113
<b>Intended Use Category</b>	Industrial Maintenance
<b>VOC (g/L, Unthinned)</b>	22
<b>Manufacturing Location</b>	North Kansas City, 64116 / Baltimore, MD 21222
<b>Shop or Exterior Applications</b>	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

#### Materials and Resources (MR) Credits

<b>MR Credit 2: BPD - Environmental Product Declarations (EPDs)</b>	Tnemec coatings do not meet credit requirements.
<b>MR Credit 3: BPD - Sourcing Raw Materials</b>	Tnemec coatings do not fully meet credit requirements.
<b>MR Credit 4: BPD - Material Ingredients/ Health Product Declarations (HPDs)</b>	At this time, Tnemec does not carry publicly available Health Product Declarations (HPDs).

#### CDPH Emissions Testing

<b>Test Date</b>	October 30, 2023 (Valid Nov. 2023 - Nov. 2024)
<b>MAS Certificate No.</b>	MAS2300694
<b>CDPH Scenario (Use)</b>	Classroom / Private Office
<b>CDPH Emissions Test Report</b>	Available upon request or download the <a href="#">MAS Certified Green Certificate</a>
<b>Total VOC (TVOC) - 14 Days</b>	0.5 mg/m <sup>3</sup> to 5.0 mg/m <sup>3</sup>
<b>Reference Standard</b>	California Dept. of Public Health Standard Method v1.2

For questions concerning this information, please contact:

**Jennifer Gleisberg**  
Senior Manager of Performance Coatings | Tnemec Company, Inc.  
+1 816-326-4264 [gleisberg@tnemec.com](mailto:gleisberg@tnemec.com)

