



LEED® v3.0 INFORMATION SHEET

SERIES 22 EPOXOLINE

THIS COATING COMPLIES WITH THE FOLLOWING LEED RATING SYSTEMS:

LEED v3.0 (2009)

- LEED FOR NEW CONSTRUCTION (NC)
- LEED FOR EXISTING BUILDINGS (EB)
- LEED FOR SCHOOLS (PIEACP OPTION FOR v3.0)
- LEED FOR CORE & SHELL (CS)

MR CREDITS 4.1 AND 4.2 - RECYCLED CONTENT:

TNECBC COATINGS ARE MANUFACTURED WITH 0% PRE-CONSUMER AND POST-CONSUMER RECYCLED CONTENT. NOTE: TNECBC COATINGS DO NOT MEET CREDIT REQUIREMENTS.

MR CREDITS 5.1 AND 5.2 - REGIONAL MATERIALS:

TNECBC DOES NOT DISCLOSE THE LOCATION OF RAW MATERIAL EXTRACTION FOR THEIR COATINGS. VARIOUS COMPONENTS FROM VARIOUS LOCATIONS. NOTE: TNECBC COATINGS DO NOT FULLY MEET CREDIT REQUIREMENTS

IEQ CREDIT 4.2: LOW-EMITTING MATERIALS - PAINTS & COATINGS

CREDIT REQUIREMENTS FOR VOC CONTENT:

- GS-11:
 - FLAT – 50 g/L
 - NONFLAT – 150 g/L
- GC-03:
 - RUST INHIBITIVE OVER FERROUS METAL – 250 g/L
- SCAQMD RULE 1113:
 - FLOOR COATINGS – 100 g/L
 - WATERPROOFING SEALERS – 250 g/L
 - SEALERS – 200 g/L
 - PRIMERS – 200 g/L

SHOP OR EXTERIOR APPLICATIONS

COATING MAY CONTAIN ANY GRAMS/LITER VOC CONTENT IF APPLIED TO THE EXTERIOR OF THE BUILDING OR APPLIED IN SHOP.

TNECBC COMPANY, INC. CERTIFIES THAT THE FOLLOWING COATING DOES NOT EXCEED THE LISTED VOC CONTENT:

TNECBC COATING	CATEGORY	VOC (g/L UNTHINNED)	LOCATION OF MANUFACTURE
SERIES 22 EPOXOLINE	FLAT	12 g/L	NORTH KANSAS CITY, MO 64116

FOR QUESTIONS CONCERNING THE ABOVE LISTED INFORMATION, PLEASE CONTACT:

JENNIFER GLEISBERG, LEED GA
TNECBC COMPANY, INC.
EMAIL: GLEISBERG@TNECBC.COM



INNOVATION IN EVERY COAT™