



# LEED® v3.0 INFORMATION SHEET

## SERIES 1070V FLUORONAR

THIS COATING COMPLIES WITH THE FOLLOWING LEED RATING SYSTEMS:

### LEED v3.0 (2009)

- LEED FOR NEW CONSTRUCTION (NC)
- LEED FOR EXISTING BUILDINGS (EB)
- LEED FOR SCHOOLS (PIEACP OPTION FOR v3.0)
- LEED FOR CORE & SHELL (CS)

### MR CREDITS 4.1 AND 4.2 - RECYCLED CONTENT:

TNECBC COATINGS ARE MANUFACTURED WITH 0% PRE-CONSUMER AND POST-CONSUMER RECYCLED CONTENT.

NOTE: TNECBC COATINGS DO NOT MEET CREDIT REQUIREMENTS.

### MR CREDITS 5.1 AND 5.2 - REGIONAL MATERIALS:

TNECBC DOES NOT DISCLOSE THE LOCATION OF RAW MATERIAL EXTRACTION FOR THEIR COATINGS. VARIOUS COMPONENTS FROM VARIOUS LOCATIONS. NOTE: TNECBC COATINGS DO NOT FULLY MEET CREDIT REQUIREMENTS

### IEQ CREDIT 4.2: LOW-EMITTING MATERIALS - PAINTS & COATINGS

CREDIT REQUIREMENTS FOR VOC CONTENT:

- GS-11:
  - FLAT – 50 g/L
  - NONFLAT – 150 g/L
- GC-03:
  - RUST INHIBITIVE OVER FERROUS METAL – 250 g/L
- SCAQMD RULE 1113:
  - FLOOR COATINGS – 100 g/L
  - WATERPROOFING SEALERS – 250 g/L
  - SEALERS – 200 g/L
  - PRIMERS – 200 g/L

### SHOP OR EXTERIOR APPLICATIONS

COATING MAY CONTAIN ANY GRAMS/LITER VOC CONTENT IF APPLIED TO THE EXTERIOR OF THE BUILDING OR APPLIED IN SHOP.

TNECBC COMPANY, INC. CERTIFIES THAT THE FOLLOWING COATING DOES NOT EXCEED THE LISTED VOC CONTENT:

| TNECBC COATING         | CATEGORY | VOC (g/L UNTHINNED) | LOCATION OF MANUFACTURE  |
|------------------------|----------|---------------------|--------------------------|
| SERIES 1070V FLUORONAR | NONFLAT  | 99 g/L              | N. KANSAS CITY, MO 64116 |

FOR QUESTIONS CONCERNING THE ABOVE LISTED INFORMATION, PLEASE CONTACT:

JENNIFER GLEISBERG, LEED GA  
TNECBC COMPANY, INC.  
EMAIL: GLEISBERG@TNECBC.COM



*INNOVATION IN EVERY COAT™*