

## Series 248 EverThane

### PRODUCT INFO

#### Conforms with:

- LEED v4, 4.1, v5 BD+C, ID+C: Low-Emitting Materials - Paints & Coatings\*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

\*Note: Sections shown are based on LEED v5

### Materials & Resources (MR) Credits

#### MR Credit 3: Low-Emitting Materials

<b>Air District Regulation</b>	South Coast Air Quality Management District (SCAQMD) Rule 1113
<b>Intended Use Category</b>	Industrial Maintenance
<b>VOC (g/L, Unthinned)</b>	82
<b>Manufacturing Location</b>	North Kansas City, 64116
<b>Shop or Exterior Applications</b>	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.
<b>Test Date</b>	April 2, 2025 (Valid April 2025 - July 2026)
<b>MAS Certificate No.</b>	MAS2500154R3
<b>CDPH Scenario (Use)</b>	Classroom / Private Office
<b>CDPH Emissions Test Report</b>	Available upon request or download the <a href="#">MAS Certified Green Certificate</a>
<b>Total VOC (TVOC) - 14 Days</b>	0.5 mg/m <sup>3</sup> to 5.0 mg/m <sup>3</sup>
<b>Reference Standard</b>	California Dept. of Public Health Standard Method v1.2-2017

#### MR Credit 4: Building Product Selection & Procurement

<b>Human Health: Health Product Declaration (HPD)</b>	At this time, Tnemec does not carry a publicly available Health Product Declaration (HPD) for this coating.
<b>Climate Health: Environmental Product Declaration (EPD) (Product-Specific Type III)</b>	Series 248 EverThane - <a href="#">Download EPD</a>

For questions concerning this information, please contact:

**Jennifer Gleisberg**  
 Director of Performance Coatings | Tnemec Company, Inc.  
 +1 816-326-4264 [gleisberg@tnemec.com](mailto:gleisberg@tnemec.com)

