

Series 1070V Fluoronar

PRODUCT INFO

Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

*Note: Sections shown are based on LEED v4.1

VOC Content

Air District Regulation	South Coast Air Quality Management District (SCAQMD) Rule 1113
Intended Use Category	Industrial Maintenance
VOC (g/L, Unthinned)	69
Manufacturing Location	North Kansas City, 64116
Shop or Exterior Applications	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

Materials and Resources (MR) Credits

MR Credit 2: BPD - Environmental Product Declarations (EPDs)	Tnemec coatings do not meet credit requirements.
MR Credit 3: BPD - Sourcing Raw Materials	Tnemec coatings do not fully meet credit requirements.
MR Credit 4: BPD - Material Ingredients/ Health Product Declarations (HPDs)	At this time, Tnemec does not carry publicly available Health Product Declarations (HPDs).

CDPH Emissions Testing

Test Date	September 16, 2021 (Valid Sept. 2021 - Sept. 2022)
MAS Certificate No.	MAS2100623R3
CDPH Scenario (Use)	Classroom / Private Office
CDPH Emissions Test Report	Available upon request.
Total VOC (TVOC) - 14 Days	0.5 mg/m ³ or less
Reference Standard	California Dept. of Public Health Standard Method v1.2

For questions concerning this information, please contact:

Jennifer Gleisberg
 Inside Sales Manager - Tnemec Company, Inc.
 +1 816-326-4264 gleisberg@tnemec.com

