## BIXBY NORTH LAGOON HEADWORKS EXPANSION

The northern lagoon of Bixby, Okla., is exposed to more than just the usual weather elements: sun, wind, rain, snow, etc. In fact, the concrete structure is also exposed to impact and abrasion as well as high levels of hydrogen sulfide ( $H_2S$ ) gas and other chemicals, making the coating selection and application particularly challenging and important.

In 2002 when the city decided to construct the headworks structure for the lagoon, another product had been recommended. However, after further review planners decided to instead install a then relatively new Tnemec product, Series 434 Perma-Shield H<sub>2</sub>S. This aggregate-reinforced, 100% solids epoxy mortar is designed for wastewater immersion/fume environments where H<sub>2</sub>S and sulfuric acid are present.

Series 201 Epoxoprime, a 100% solids moisture-tolerant epoxy, was first used to prime the concrete prior to the Perma-Shield  $H_2S$  application. For additional protection, a glaze coat of Series 435 Perma-Glaze was then applied. A versatile, thick film, 100% solids, abrasion-resistant lining, Perma-Glaze provides low permeation to  $H_2S$  gas, protects against MIC and provides additional chemical resistance to severe wastewater environments.

In early 2007, nearly five years after completion, the products are performing as hoped and continue to withstand the effects of impact, abrasion and corrosion of the concrete.

## FEATURED PRODUCTS

Series 201 Epoxoprime Series 435 Perma-Glaze Series 434 Perma-Shield H<sub>2</sub>S



## **PROJECT INFORMATION**

TSP OF

**Project Location** Bixby, Oklahoma

Project Completion Date August 2002

**Owner** City of Bixby

**Engineer** Crafton Tull Associate Tulsa, Oklahoma

**Field Applicator** Luckinbill Enid, Oklahoma

Tnemec's Perma-Shield system protects the headworks expansion in Bixby, Oklahoma, from hydrogen sulfide gas and biogenic sulfide corrosion.

