

## Series 94-H20 Hydro-Zinc

### PRODUCT INFO

#### Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings\*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

\*Note: Sections shown are based on LEED v4.1

#### VOC Content

<b>Air District Regulation</b>	South Coast Air Quality Management District (SCAQMD) Rule 1113
<b>Intended Use Category</b>	Shop/Field Primer
<b>VOC (g/L, Unthinned)</b>	89
<b>Manufacturing Location</b>	North Kansas City, 64116 / Baltimore, MD 21222
<b>Shop or Exterior Applications</b>	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

#### Materials and Resources (MR) Credits

<b>MR Credit 2:</b> BPD - Environmental Product Declarations (EPDs)	Tnemec coatings do not meet credit requirements.
<b>MR Credit 3:</b> BPD - Sourcing Raw Materials	Tnemec coatings do not fully meet credit requirements.
<b>MR Credit 4:</b> BPD - Material Ingredients/ Health Product Declarations (HPDs)	A Health Product Declaration (HPD) at 1,000ppm is available upon request for this product.

#### CDPH Emissions Testing

<b>Test Date</b>	September 16, 2021 (Valid Sept. 2021 - Sept. 2022)
<b>MAS Certificate No.</b>	MAS2100623R3
<b>CDPH Scenario (Use)</b>	Classroom / Private Office
<b>CDPH Emissions Test Report</b>	Available upon request.
<b>Total VOC (TVOC) - 14 Days</b>	0.5 mg/m <sup>3</sup> or less
<b>Reference Standard</b>	California Dept. of Public Health Standard Method v1.2

For questions concerning this information, please contact:

**Jennifer Gleisberg**  
 Inside Sales Manager - Tnemec Company, Inc.  
 +1 816-326-4264 [gleisberg@tnemec.com](mailto:gleisberg@tnemec.com)

